## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	2	(("6625619" "7181468"). pn.) and taxonomy and \$4match\$4 and (generat \$4 creat\$4) and (interface gui input) and (publish\$4 subscrib\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 16:39
L32	2	"20010046008"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 19:55
L33	2	"6771327".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 19:56
প্র	4330	707/100.cds.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 19:18
S6	2393	707/2.cds.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 19:19
S7	3969	707/102.cds.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 19:19
S8	1778	707/6.cds.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 19:19
S9	1906	707/5.cds.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 19:20

S10	6759	707/3.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 20:20
S12	9378	taxonom\$3 and (classif\$5 categoriz\$5 group\$5 vector \$5 (data near5 organiz \$5))	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/06/02 20:24
S13	7333	taxonom\$3 and (classif\$5 categoriz\$5 group\$5 vector \$5 (data near5 organiz \$5)) and @ad<"20030628"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/06/02 20: <b>2</b> 5
S14	988	(creat\$4 generat\$4 buil\$5 form\$3) with taxonom\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 20:27
S15	596	S13 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 20:27
S16	347	S15 and match\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 20:29
S17	16827	(creat\$4 generat\$4 buil\$5 form\$3) with (taxonom\$3 (data adj organi\$6) ((hierarch\$4 tree\$1) with data))	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 16:57
S18	965	S17 and S14	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/06/02 20:33
S19	486	S18 and match\$4 and access\$4	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/06/02 20:33
S20	350	compar\$4 with taxonom\$3	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/06/02 20:36
S22	42	\$20 and \$16	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/06/02 20:36

\$23	38	\$22 and (gui\$1 interface \$1 display\$1 window\$1 monitor\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 20:39
S24	33	S23 and (name\$1 label\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 20:39
\$25	6	S24 and back\$4up	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 20:40
S26	6	S25 and (storage\$1 repositor\$1 data\$1base\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 20:41
\$27	6	S26 and ((program\$1 application\$1 software) same taxonom\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 20:46
\$28	27	\$24 not \$25	US-PGPUB; USPAT; USOOR; DERWENT	OR	ON	2006/06/02 20:47
<b>S</b> 29	969	((program\$1 applacation \$1 software\$1) same taxonom\$3)	US-PGPUB; USPAT; USOOR; DERWENT	OR	ON	2006/06/02 20:48
<b>S</b> 30	21	\$29 and \$24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 21:41
S36	2	"20040267779"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/06/05 15:24
S37	2	"20040267779"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/06/05 16:11

S49		"6636849".pn. and ((program\$1 application\$1 software) same taxonom \$3) and taxonom\$3 and (classif\$5 categoriz\$5 group\$5 vector\$5 (data near5 organiz\$5)) and (creat\$4 generat\$4 buil\$5 form\$3) with (taxonom\$3 (data adj organi\$6) ((hierarch\$4 tree\$1) with data)) and match\$4 and access\$4 and compar\$4 with taxonom\$3 and (gui \$1 interface\$1 display\$1 window\$1 monitor\$1) and (storage\$1 repositor\$1 data\$1 base\$1) and replace \$4	US POPUB; USPAT; USCOR; DERWENT	OR	ÓN	2006/06/05 16:34
S50	6	MARC WITH CARTER	US-PGPUB; US-PGPUB; US-PAT; USOCR; FFPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 19:11
S51	1	lucas with partridge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 19:12
S52	53	graham with wallis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 19:13
S53	7610	taxonom\$3 and (classif\$5 categoriz\$5 group\$5 vector \$5 (data near5 organiz \$5)) and @ad<"20030628"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/12/05 20:25
S54	1133	(creat\$4 generat\$4 buil\$5 form\$3) with taxonom\$3	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 20:25
S55	631	\$53 and \$54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 20:25

S56	372	S55 and match\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 20:25
S57	369	compar\$4 with taxonom\$3	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/12/05 20:25
S58	43	S57 and S56	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/12/05 20:25
S61	35	S58 and (gui\$1 interface \$1 display\$1 window\$1 monitor\$1) and stor\$3 and generat\$3 and access\$3 and compar\$3 and identif \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 20:32
S69	114	S58 and (gui\$1 interface \$1 display\$1 window\$1 monitor\$1) and stor\$3 and generat\$3 and access\$3 and compar\$3 and identif \$3 and reference and match\$3 and respons\$3 and result\$3 and program and manag\$3 and organi \$8	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 20:44
S70	<u>0</u>	SS8 and (gui\$t interface \$1 display\$1 window\$t monitor\$1) and stor\$3 and generat\$3 and access\$3 and compar\$3 and identif \$3 and reference and match\$3 and respons\$3 and result\$3 and program and manag\$3 and organi \$8 and replac\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:44
<b>S7</b> 5	26	((stor\$3 with replace\$3) same (match\$3 compar \$3)) and (taxonom\$4)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 17:54
S76	46	((stor\$3 with replace\$3) same (match\$3 compar \$3)) and 707/3.ccls.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 20:58
S78	58	((stor\$3 with (replace\$3 substi\$5)) same (match\$3 compar\$3)) and 707/3.	US-PGPUB; USPAT; USOOR; DERWENT	OR	ON	2007/09/13 21:01

S79	45	(((sav\$3 stor\$3) with (replace\$3 substitu\$5)) same (match\$3 compar \$3)) and taxonom\$3 and (classi\$5 categorix\$5 group\$5 vector\$5 (data near5 organiz\$5))	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 21:15
S80	7863	taxonom\$3 and (classif\$5 categoriz\$5 group\$5 vector \$5 (data near5 organiz \$5)) and @ad<"20030628"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 21:44
S81	1421	(creat\$4 generat\$4 buil\$5 form\$3) with taxonom\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:44
S82	657	\$80 and \$81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:44
S83	386	\$82 and match\$4	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:44
S84	437	compar\$4 with taxonom\$3	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 21:44
S85	46	S84 and S83	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 21:44
S86	4	S85 and (gui\$1 interface \$1 display\$1 window\$1 monitor\$1) and stor\$3 and generat\$3 and access\$3 and compar\$3 and identif \$3 and reference and match\$3 and respons\$3 and result\$3 and program and manag\$3 and organi \$8 and replac\$5 and say \$53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 22:13
S88	2138	(taxonom\$5 organization categorization class\$6) near2 (compar\$5 match \$4) same (stor\$5 sav\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 20:27

S89	361	(taxonom\$5 organization categorization class\$6) near2 (compar\$5 match \$4) near2 (stor\$5 sav\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 22:20
S90	116	(taxonom\$5 organization categorization class\$6) near2 (compar\$5 match \$4) near2 (stor\$5 sav\$4) and (mobile pda pc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14
S92	21	taxonom\$4 with quer\$4 same (generat\$4 replac \$4) same (match\$4 compar \$4)	US PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 11:26
S93	7	taxonom\$4 with quer\$4 same (generat\$4 replac \$4) with (match\$4 compar \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16
S94	32	messag\$6 near5 (publish \$1subscribe) same (liste\$4 microphone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 20:41
S95	1	(messag\$6 near5 (publish \$1subsoribe) same (liste\$4 microphone)) and taxonom \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 20:38
S96	Q	microphone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/16 20:42
S97	3	(liste\$4 microphone)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2007/09/16 20:42

S99	5	(user near3 profile) with taxonomy with (relevan\$4 feedback)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 15:03
S100	5	(user near3 profile) with taxonomy with (relevan\$4 feedback) and match\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 16:19
S101	11	(user near3 profile) with (taxonomy tree folder) with (relevan\$4 feedback) and match\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 16:20
S102	45	compar\$4 with taxonomy with \$4match\$4	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 16:49
S104	2	("7181468").pn.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 21:26
S107	1	compar\$4 with (tree folder taxonomy) with \$4match \$4 with (user near3 (predefin\$4 preference profile))	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 21:37
S108	2	"20060069674"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 11:12
S109	4	("6625619" "7181468"). pn.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/19 11:15
S110	25	((stor\$3 with (replace\$3 substi\$5)) same (match\$3 compar\$3)) and (707/3. ccls.) and (taxonomy tree folder)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/05/19 15:18

S111	835	(generat\$4 creat\$4 design \$4) near5 taxonomy	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/05/19 16:02
S115	11	(generat\$4 creat\$4 design \$4) with taxonomy and compar\$4 with replac\$6	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/05/19 16:06
S116	42	(generat\$4 creat\$4 design \$4) with taxonomy with (user near4 (predefin\$4 preferec\$4 profile design \$4))	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/05/19 16:17

<sup>5/20/2008 9:30:03</sup> PM

C:\ Documents and Settings\ bho\ My Documents\ EAST\ Workspaces\ 10697895new.wsp